

Air-operated double diaphragm pump (AODD)

Metal Pump size 1/4" to 4"

Original® series clamp metal pump

Model : P.025 - 1/4" (6 mm)

Capacity :

Model : P1 - 1/2" (13 mm)

Capacity :

Model : PX1 - 1/2" (13 mm)

Capacity :

Model : T1 - 1/2" (13 mm)

Capacity :

Model : P2 - 1" (25 mm)

Capacity :

Model : T2 - 1" (25 mm)

Capacity :

Model : P4 - 1 1/2" (38 mm)

Capacity :

Model : PX4 - 1 1/2" (38 mm)

Capacity :

Model : T4 - 1 1/2" (38 mm)

Capacity :

Model : P8 - 2" (51 mm)

Capacity :

Model : PX8 - 2" (51 mm)

Capacity :

Model : T8 - 2" (51 mm)

Capacity :

Model : PX15 - 3" (76 mm)

Capacity :

Model : T15 - 3" (76 mm)

Capacity :

Model : PX20 - 4" (102 mm)

Capacity :

Model : T20 - 4" (102 mm)

Capacity :

WILDEN®
A DOVER COMPANY



Turbo-Flo™
Progressive Pump Technology



Pro-Flo®
Progressive Pump Technology



Plastic Pump size 1/4" to 4"

Original[®] series clamp metal pump

Model : P.025 - 1/4" (6 mm)

Capacity :

Model : P2R - 1" (25 mm)

Capacity :

Model : P4 - 1 1/2" (38 mm)

Capacity :

Model : PX4 - 1/2" (38 mm)

Capacity :

Model : P8 - 2" (51 mm)

Capacity :

Model : PX8 - 2" (51 mm)

Capacity :



Advanced[™] series bolted metal pump

Model : P200-PX200 - 1" (25 mm)

Capacity :

Model : P400-PX400 - 1 1/2" (38 mm)

Capacity :

Model : P800-PX800 - 2" (51 mm)

Capacity :

Model : T810 - 2" (51 mm)

Capacity :

Model : PX1500 - 3" (76 mm)

Capacity :

Model : T1510 - 3" (76 mm)

Capacity :

Advanced Metal Pumps



Advanced[™] series bolted metal pump

Model : P.025 - 1/4" (6 mm)

Capacity :

Model : P100 - 1/2" (13 mm)

Capacity :

Model : P200 - 1" (25 mm)

Capacity :

Advanced Plastic Pumps



BAM ROONG RAKSH & TECHNIC SCALES LTD.,PART.

Model : P400-PX400 - 1 1/2" (38 mm)

Capacity :

Model : P800-PX800 - 2" (51 mm)

Capacity :

Model : PX1500 - 3" (76 mm)

Capacity :

